

viccarbe

Finishes

COLOR RANGE - LACQUERED WOODS



Ochre | RAL 1011



Brick | RAL 050 50 30



Taupe | RAL 1019



Military Green | RAL 090 40 30




Dusty Pink | RAL 060 70 20




Dusty Green | RAL 7034




Bronze



Orange Fluor* | RAL 2005



White | RAL 9003



Black | RAL 9005

STAINED WOODS



Matt Oak



Cognac



Ash




Wenge



White

COLOR RANGE - POLYPROPYLENE*




White | RAL 9003



Black | RAL 9005



Taupe | RAL 1019



Brick | RAL 050 50 30




Ochre | RAL 1011




Dusty Green | RAL 7034

**Only available for
Maarten Plastic*

COLOR RANGE - METAL FINISHES*




White | RAL 9003



Black | RAL 9005



Taupe | RAL 1019



Orange Fluor* | RAL 2005



Brass

**Please check on the Price List the colors and textures available for each product.*

TABLE TOPS*



MDF with HPL,
Stained Edge



Low Pressure Laminate,
White Edge



Compact Laminate,
White Edge




Compact Laminate,
Black Edge



MDF with HPL,
Stained Edge



Low Pressure Laminate,
Black Edge




Compact Laminate,
Black Edge

**The thickness of these pictures may not correspond with the specific thickness of each table top (which depends on the model).*


viccarbe

Fabrics Selection

GABRIEL TONAL




Tonal 62057




Tonal 64210



Tonal 64209




Tonal 64211




Tonal 67089

CAMIRA URBAN



Urban YN212



Urban YN206



Urban YN207



Urban YN210



Urban YN211

GABRIEL FELICITY




Felicity 61164



Felicity 61167



Felicity 63089



Felicity 60105



Felicity 66162


CREVIN URUS



Urus 08



Urus 53




Urus 51

CAMIRA CITADEL



Citadel FL832



Citadel FL019

CREVIN DUO




Duo 04




Duo 07



Duo 50



Duo 53



Duo 55

	Composition	Durability	Fire Test	Maintenance
G1 GABRIEL TONAL (1)	99% post-consumer recycled polyester, 1% polyester	1000.000 Martindale	CA TB 117-2013 ASTM E 84 Class I BS EN 1021 1&2 Cigarette and Match BS EN 1021-1 Cigarette BS 5852 Part 1 0,1 Cigarette & match BS 476 Part 7, class 1	     
G1 GABRIEL FELICITY (2)	100% post-consumer recycled polyester	90.000 Martindale	BS EN 1021 1&2 Cigarette and Match CA TB 117-2013	      Shrinkage max. 1,5%       Shrinkage max. 2,5%
G1 CAMIRA URBAN (3)	100% Recycled Flame Retardant Polyester. Non metallic dyestuffs	100.000 Martindale	EN 1021 - 1&2 Cigarette & Match BS 7176 Low Hazard BS 5852 Ignition Source 5 BS 7176 Medium Hazard DIN 4102 B1 ÖNORM A 3800-1 (over CMHR 58kg/m3 Foam) UNI 9175 Classe 1 IM	    
G1 CAMIRA CITADEL	100% Flame Retardant Polypropylene	30.000 Martindale	EN 1021 - 1&2 Cigarette & Match BS 7176 Low Hazard DIN 4102 B1 ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam) UNI 9175 Classe 1 IM EN 13501-1 Adhered Class B, s1, d0 EN 13501-1 Un-adhered Class B, s1, d2	   
G1 CREVIN URUS	50% Polipropylene, 31% Polyester, 19% Cotton	32.500 Martindale	BS5852 Source 0 / EN1021-1:2006 (Cigarette test) CAL TB 117	     
G1 CREVIN DUO	48% Polipropylene, 33% Polyester, 19% Cotton	31.000 Martindale	BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117	     

Environment Test

(1) STANDARD 100 by OEKO-TEX® | EU Ecolabel

(2) STANDARD 100 by OEKO-TEX® | EU Ecolabel | Cradle to Cradle Certified™ Bronze

(3) EU Ecolabel | OEKO-TEX® Standard 100 | Made from 100% recycled polyester

For more options please go to:**GABRIEL** - <https://www.gabriel.dk/en/fabrics/fabrics/>**CAMIRA** - <https://www.camirafabrics.com/en/fabrics/contract>**CREVIN** - <https://www.crevin.com/es/search-product>

VALENCIA VINYL



Weiss 8032

Sisal 1048

Beige 1050

Taupe 0034

Cognac 0002

VALENCIA VINYL



Auster 4040


Perle 4045

Lichtgrau 4052

Graphite 4003

Schwarz 9035

VALENCIA VINYL



Safran 6012


Nectarine 6003

Olive 5001

Titan 4042

Baltic 3069

SEVEN VELVET



Ivory 101

Blossom 166

Steel 149

Ocre 23

Wine Red 39

SEVEN VELVET



Eucaliptus 193

Dolphin 180

Grey 65

Moss 59

Navy 49

	Composition	Durability	Fire Test	Maintenance
G2 VALENCIA VINYL*	Vinyl / Urethane Topcoat	300.000 Martindale	EU: EN 1021 Part 1 & 2 ES: UNE 23.727-90 1R/M.2 FR: NF P 92-503/M2 DE: DIN 4102 B2 IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME) AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbares Verhalten AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2 US: FMVSS 302 US: FAR 25/853	
G2 SEVEN VELVET	100% PES	100.000 Martindale	EN ISO 12947 1 & 2 EN ISO 12945-2 EN ISO 13934-1 EN ISO 13937-3 EN ISO 13936 2 EN ISO 105 X12	

PERMABLOK³
ADVANCED VINYL PROTECTION

***Protections**

A vinyl protective coating engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments: germs, abrasions and stains. You can't see it or feel it, yet the protection it offers results in extended performance and lasting beauty with a minimum of care.


For more options please go to:

VALENCIA VINYL - <http://www.spradling.eu/collections/valencia>

CAMIRA ERA




Cse 31



Cse 19



Cse 29



Cse 23




Cse 45

KVADRAT MESSENGER




Messenger 078



Messenger 081



Messenger 025




Messenger 054




Messenger 061

KVADRAT MESSENGER



Messenger 046



Messenger 031



Messenger 069




Messenger 087




Messenger 086


GABRIEL STEP MELANGE



Step Melange 60004



Step Melange 60011



Step Melange 68118



Step 68158



Step 68165

GABRIEL STEP

CREVIN GAUDI



Gaudi 05



Gaudi 11



Gaudi 53

CAMIRA MAIN LINE FLAX



Main Line Flax Candem



Main Line Flax Edware

	Composition	Durability	Fire Test	Maintenance
G2 CAMIRA ERA	100% Polyester	1000.000 Martindale	EN 1021 - 1 EN 1021 - 2 BS 7176 Low Hazard EN 13501-1 Adhered Class B, s1, d0 EN 13501-1 Un-adhered Class C, s1, d0	     
G2 KVADRAT MESSENGER	78% Post industrial recycled, 15% Polyester, 7% Nylon, 0% Stain resistant PF	65.000 Martindale	BS 5852 part 1 with treatment EN 1021-1/2 with treatment IMO FTP Code 2010 Part 8 with treatment NF D 60 013 with treatment NFPA 260 EN 1021-1 BS 5852 Crib 5 with treatment	     
G2 GABRIEL STEP MELANGE	100% Trevira cs	100.000 Martindale	IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO DIN 4102 B1 NFP 92-503/504/505 M1 BS EN 1021 1&2 Cigarette and Match BS EN 1021-1 Cigarette BS 5852 Part 1 0.1 BS 5852 Crib 5 ÖNORM B 3825-B1-3800-Q1 UK FAR/JAR 25.853 (a) (i) (ii) BS 7176 Medium hazard AM 18 - NFD 60-013-(only for fabric) CA TB 117-2013 Class Uno UNI 9175 Class 1 EMME DIN EN 13501-1 B-s1,d0	     
G2 CREVIN GAUDI	60% Polypropylene, 35% Polyester, 5% Cotton	46.000 Martindale	BS5852 source 0 EN1021-1:2006 CAL TB 117	    
G2 CAMIRA MAIN LINE FLAX	70% Virgin Wool, 30% Flax	50.000 Martindale	EN 1021 - 1 EN 1021 - 2 (match) BS 7176 Low Hazard BS 5852 Ignition Source 5 BS 7176 Medium Hazard NF D 60-013 ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam) UNI 9175 Classe 1 IM BS 5867-2: Type B Curtains & Drapes	    

For more options please go to:


CAMIRA - <https://www.camirafabrics.com/en/fabrics/contract>

KVADRAT - https://kvadrat.dk/products?group_types=upholstery

GABRIEL - <https://www.gabriel.dk/en/fabrics/fabrics/>

CREVIN - <https://www.crevin.com/es/search-product>

KVADRAT REMIX



Remix 123



Remix 433



Remix 452



Remix 942



Remix 873

KVADRAT REMIX



Remix 143




Remix 163

CREVIN TENZO



Tenzo 10




Tenzo 11



Tenzo 70


KVADRAT FIELD




Field 132



Field 782



Field 943




Field 643




Field 662


GABRIEL FAME



Fame 64169



Fame 61003



Fame 63076



Fame 61131



Fame 68004

CREVIN OPTIM



Optim 05



Optim 54

CREVIN BORA BORA



Bora Bora 05



Bora Bora 54



Bora Bora 53

	Composition	Durability	Fire Test	Maintenance
G3 KVADRAT REMIX	90% New wool (worsted), 10% Nylon	100.000 Martindale	AS/NZS 1530.3 AS/NZS 3837, class 2 BS 5852 Crib 5 with treatment BS 5852 part 1 EN 1021-1/2 IMO FTP Code 2010 Part 8 NF D 60 013 NFPA 260 UNI 9175 1IM US Cal. Bull. 117-2013 ÖNORM B1/ Q1	
G3 CREVIN TENZO	45% Cotton, 30% Viscose, 25% Polyester	25.000 Martindale	BS5852 source 0 / EN1021-1:2006 BS5852 source 1 / EN1021-2:2006 CAL TB 117	
G3 KVADRAT FIELD	100% Trevira cs	100.000 Martindale	BS 5852 Crib 5 EN 1021-1/2 BS 5852 part 1, ig. s. 0 DIN 4102 B1 FAR 25.853 NF D 60 013 NF P 92 507 M1 IMO FTP Code 2010 Part 8 NF D 60 013 UNI 9175 1IM UNI 9177 Classe 1 US Cal. Bull.117-2013 ÖNORM B1/ Q1 SN 198 898 5.2 AS/NZS 3837, class 1	
G3 GABRIEL FAME	95% wools of New Zealand, 5% polyamide	200.000 Martindale	BS EN 1021-1 Cigarette BS EN 1021-2 Match BS 5852 Crib 5 CA TB 117-2013 Class Uno UNI 9175 Class 1 EMME AM 18 - NF D 60-013 (only for fabric) BS 5852 Part 1 0,1 Cigarette & match ÖNORM B 3825-B1-3800-Q1 UK IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO BS 476 Part 7, class 1	
G3 CREVIN OPTIM	56% Polyester, 36% Linen, 8% Cotton	58.000 Martindale	BS5852 source 0 / EN1021-1:2006 BS5852 source 1 / EN1021-2:2006 CAL TB 117	
G3 CREVIN BORA BORA	82% Polypropylene, 18% Polyester	100.000 Martindale	EN 1021-1:2006 // BS5852 source 0 / CAL TB117 / NFPA 260 EN 1021-2:2006 // BS5852 source 1 IMO MSC(67) - ANEX I PART 8 - RESOLUTION A.652 (16):1989	

For more options please go to:

KVADRAT - https://kvadrat.dk/products?group_types=upholstery

CREVIN - <https://www.crevin.com/es/search-product>

GABRIEL - <https://www.gabriel.dk/en/fabrics/fabrics/>


KVADRAT MELANGE NAP



Melange Nap 211



Melange Nap 221



Melange Nap 651



Melange Nap 711



Melange Nap 911

GABRIEL CRISP



Crisp 4115



Crisp 4711



Crisp 4701



Crisp 4301




Crisp 4302

GABRIEL CRISP



Crisp 4033



Crisp 4021



Crisp 4751



Crisp 4752



Crisp 4761

KVADRAT CANVAS



Canvas 124



Canvas 854



Canvas 174



Canvas 674



Canvas 694

KVADRAT CANVAS



Canvas 244



Canvas 264



Canvas 936



Canvas 134



Canvas 576

	Composition	Durability	Fire Test	Maintenance
G4 KVADRAT MELANGE NAP	97% New wool (worsted), 3% Nylon	60.000 Martindale	BS 5852 Crib 5 with treatment BS 5852 ignition source 3 EN 1021-1/2 IMO FTP Code 2010:Part 8 NF D 60 013 UNI 9175 11M US Cal. Bull. 117-2013	
G4 GABRIEL CRISP	45% Cotton, 30% Viscose, 25% Polyester	25.000 Martindale	BS 5852 Part 1 0,1 Cigarette & match BS EN 1021 1&2 Cigarette and Match Class Uno UNI 9175 Class 1 EMME CA TB 117-2013 IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO ÖNORM B 3825-B2-3800-Q1 UK	
G4 KVADRAT CANVAS*	90% New wool (worsted), 10% Nylon	100.000 Martindale	AS/NZS 1530.3 BS 5852 Crib 5 with treatment BS 5852 part 1 DIN 4102 B2 EN 1021-1/2 1 IMO FTP Code 2010 Part 8 NF D 60 013 NFPA 260 SN 198 898 5.3 with treatment UNI 9175 11M US Cal. Bull. 117-2013 ÖNORM B1/ Q1	

* Please note that CANVAS upholstery is not suitable for the following products: Maarten chair & stool smooth / Maarten armchair smooth / Klip chair & stool smooth and Wrapp smooth.

For more options please go to:


KVADRAT - https://kvadrat.dk/products?group_types=upholstery

GABRIEL - <https://www.gabriel.dk/en/fabrics/fabrics/>


KVADRAT HALLINGDAL




Hallingdal 407



Hallingdal 116



Hallingdal 130



Hallingdal 173



Hallingdal 764

KVADRAT STEELCUT TRIO




Steelcut Trio 506




Steelcut Trio 436



Steelcut Trio 213



Steelcut Trio 133



Steelcut Trio 124

KVADRAT STEELCUT TRIO



Steelcut Trio 446



Steelcut Trio 453



Steelcut Trio 645



Steelcut Trio 946



Steelcut Trio 883

KVADRAT DIVINA MELANGE



Divina Melange 120



Divina Melange 170



Divina Melange 180



Divina Melange 471



Divina Melange 571

KVADRAT DIVINA MD



Divina MD 213



Divina MD 453



Divina MD 343



Divina MD 613



Divina MD 653

	Composition	Durability	Fire Test	Maintenance
G5 KVADRAT HALLINGDAL	70% New wool, 30% Viscose	100.000 Martindale	AS/NZS 1530.3 AS/NZS 3837 BS 5852 Crib 5 BS5852 part 1 DIN 4102 B2 EN 1021-1/2 IMO FTP Code 2010: Part 8 NF D 60 013 NFPA 260 Önorm B1/Q1 SN 198 898 5.3 with treatment UNI 9175 11M US Cal. Bull. 117 - 2013	    
G5 KVADRAT STEELCUT TRIO	90% New wool (worsted), 10% Nylon	100.000 Martindale	AS/NZS 3837, class 2 BS 5852 part 1 1 DIN 4102 B2 EN 1021-1/2 IMO FTP Code 2010 Part 8 NF D 60 013 NFPA 260 SN 198 898 5.3 with treatment UNI 9175 11M US Cal. Bull. 117-2013 ÖNORM B1/ Q1 BS 5852 Crib 5 with treatment AS/NZS 1530.3	    
G5 KVADRAT DIVINA MELANGE	100% New wool	45.000 Martindale	AS/NZS 1530.3 BS 5852 Crib 5 BS 5852 part 1 BS 5867 part 2 type B DIN 4102 B2 EN 1021-1/2 EN 13501, C-s1, d0, glued IMO FTP Code 2010 Part 8 NF D 60 013 NFPA 260 SN 198 898 5.3 with treatment UNI 9175 11M US Cal. Bull. 117-2013 ÖNORM B1/ Q1	    
G5 KVADRAT DIVINA MD	100% New wool	45.000 Martindale	AS/NZS 1530.3 BS 5852 Crib 5 BS 5852 part 1 BS 5867 part 2 type B DIN 4102 B2 EN 1021-1/2 EN 13501, C-s1, d0, glued IMO FTP Code 2010 Part 8 NF D 60 013 NFPA 260 SN 198 898 5.3 with treatment UNI 9175 11M US Cal. Bull. 117-2013 ÖNORM B1/ Q1	    

For more options please go to:

KVADRAT - https://kvadrat.dk/products?group_types=upholstery

ANTICCUIR LEATHER



Leather 179



Leather 136



Leather 139




Leather 122



Leather 142

ANTICCUIR LEATHER



Leather 131



Leather 123



Leather 116



Leather 117



Leather 141

ANTICCUIR LEATHER



Leather 102



Leather 127



Leather 109



Leather 137



Leather 119

ANTICCUIR LEATHER



Leather 128



Leather 121



Leather 101



Leather 125



Leather 103

	Composition	Fire Test
G5 ANTICCCUIR LEATHER	Polyvalent leather with regular grain offering a great cutting yield, with an extensive colour range. European cow.	UNE EN 1021-1&2, IMO MSC.61(67) All our leathers meet the REACH regulation. Thickness 1,1-1,2mm.

** Leather is a natural product so any variations in grain, shade and veining should not be considered a defect, but inherent of the natural beauty and uniqueness of this material.*

For more options please go to:

KVADRAT - <http://www.anticcuir.com/piel-standard-serie-100/>